MEMORANDUM FOR: Deputy Director for Support

SUBJECT

: Purchase of Executive Dining Room Equipment

- 1. This memorandum contains a recommendation for your approval; such recommendation is contained in paragraph 5.
- 2. The Salvajector Unit, which is a scraping, prewashing, and disposing machine used in the Executive Dining Room kitchen, is presently inoperable. The estimated repair charge is \$50.
- 3. The Salvajector Unit is the original machine installed in 1962 with the opening of the new Headquarters Building. Since December 1967, the repairs to this machine have totalled \$710. The unit is considered obsolete and replacement parts are becoming more and more difficult to obtain.
- 4. A new Salvajector, Model SAL-1, 3/4 HP, 1 Phase Unit, provides manual thermal overload control, manual control, and two solenoid valves. The purchase price is \$1,418, with installation costs approximately \$288. This high figure is due to the fact that the unit would have to be installed on a Saturday, and the labor charges are computed as two men for eight hours at \$18 per hour per man. Attached for your information is the proposal submitted by RESCO.
- 5. Approval is requested to expend approximately \$1,706 from Executive Dining Room funds to purchase and install a new Salvajector Unit.

16 John F. Blake Director of Logistics

Att

The recommendation contained in paragraph 5 is approved.

EGIB John W. Coffey Date Deputy Director for Support

Approved For Release 2000 Approved For Relea

SUBJECT: Purchase of Executive Dining Room Equipment

Distribution:

Orig. - OL/LSD

2 - DDS

1 - OL Official

то: Mr.	Wattles			
ROOM NO.	BUILDING	<u> </u>	1	
REMARKS:				
	rrent surplus Yund as at 8 Ja 8.73.			g
Red	commend appı	roval.		
				1
		ı		
		WE	В	
		WE	В]
		WE	В]
FROM:		WE	В]
FROM:	BUILDING	WE	B	